

Prof. Dr. Andreas Fischer

Meine chirurgische Ausbildung habe ich am Universitätsklinikum Freiburg absolviert. Bereits in den ersten Ausbildungsjahren bot sich mir die Möglichkeit im Bereich der flexiblen Endoskopie zu arbeiten. Schnell ist bei mir ein ausgeprägtes Interesse für diesen Bereich entstanden, was eine zunehmende Vertiefung und Spezialisierung zur Folge hatte. Nach Absolvierung der Facharztprüfung wurde ich 2003 mit der Leitung der Chirurgischen Endoskopie am Universitätsklinikum Freiburg betraut. Nach der Fertigstellung der Interdisziplinären Gastrointestinalen Endoskopie war ich dort weiter als Leiter mit dem Schwerpunkt Chirurgie tätig.

Seit dem 1.10.2018 bin ich Mitinhaber der Praxis für Endoskopie und Chirurgie im Loretto-Krankenhaus Freiburg.

Während meiner dreiundzwanzigjährigen klinischen Tätigkeit konnte ich einen großen Erfahrungsschatz in der endoskopischen Diagnostik und Therapie von Magen-Darm Erkrankungen sammeln. Es freut mich, diese Erfahrung nun den Patienten meiner Praxis zur Verfügung zu stellen.

Beruflicher Werdegang

- | | |
|---------|--|
| 09/1995 | Arzt im Praktikum an der Chirurgischen Universitätsklinik Freiburg, Abteilung für Allgemein- und Viszeralchirurgie (Direktor: Prof. Dr. Dr. E.T. Farthmann) |
| 03/1996 | Wissenschaftlicher Angestellter an der Chirurgischen Universitätsklinik Freiburg, Abteilung für Allgemein- und Viszeralchirurgie (Direktor: Prof. Dr. Dr. E.T. Farthmann, ab 09/2001 Prof. Dr. Dr. h.c. U.T. Hopt) |
| 05/2002 | Facharzt für Chirurgie (Landesärztekammer Südbaden) |
| 07/2003 | Oberarzt der Chirurgischen Abteilung des Universitätsklinikums Freiburg (Leiter Chirurgische Endoskopie) |
| 05/2010 | Facharzt für Viszeralchirurgie |
| 01/2015 | Oberarzt der Medizinischen Klinik des Universitätsklinikums Freiburg (Leiter Interdisziplinäre Gastrointestinale Endoskopie, Schwerpunkt Chirurgie. Direktor: Prof. Dr. r. Thimme) |
| 10/2018 | Eintritt als Mitinhaber in die Praxis für Endoskopie und Chirurgie im Loretto-Krankenhaus Freiburg |

Akademischer Werdegang

- | | |
|---------|---|
| 11/1998 | Promotion an der Ruhruniversität Bochum, Klinik für Chirurgie (Direktor Prof. Dr. Zumtobel). Titel: „Ergebnisse eines multimodalen Therapiekonzeptes bei septischen Komplikationen des diabetischen Fußes“. |
|---------|---|

- 08/2009 Habilitation mit dem Thema „Ergebnisse neuer endoskopischer Behandlungskonzepte in der Viszeralchirurgie“, Albert Ludwigs Universität Freiburg
- 12/2012 Ernennung zum außerplanmäßigen Professor , Albert Ludwigs Universität Freiburg

Weitere Qualifikationen

- 11/2001 Fachkunde Strahlenschutz; Notfall, Abdomen, Extremitäten
- 07/2008 Kompetenzzentrum mit Seminarleiter-Status für Chirurgische Endoskopie (verliehen durch die Chirurgische Arbeitsgemeinschaft Endoskopie und Sonographie (CAES) der Deutsche Gesellschaft für Allgemein- und Viszeralchirurgie)
- Zusatzbezeichnung Proktologie

Publikationen

Knoop RF, Schmidt A, Kayser G, Thimme R, **Fischer A**: Endoscopic submucosal dissection of an esophageal granular cell tumor.VideoGIE. 2019 Jan 11;4(2):58-61.

Natascha Roehlen Richard F. Knoop Katharina Laubner Jochen Seufert, Henning Schwacha Robert Thimme **Andreas Fischer**: Ischemic Duodenal Ulceration after Transarterial Chemoembolization for Hepatocellular Carcinoma: A Case Report . Case Rep Gastroenterol 2018;12:352–359.

Meier B, Caca K, **Fischer A**, Schmidt A.Endoscopic management of colorectal adenomas. Ann Gastroenterol. 2017;30(6):592-597.

Knoop RF, Thimme R, **Fischer A**: Successful two-sided sponge pull-through treatment of anastomotic leakage following pancreaticoduodenectomy with pancreaticogastrostomy. Endoscopy. 2017 Oct;49(10):1010-1012.

Hoepfner J, Glatz T, Claus R, **Fischer A**, Kraywinkel K, Brunner T.: [Esophageal Adenocarcinoma - Appraisal of a Rapidly Increasing Disease]. Dtsch Med Wochenschr. 2017 Sep;142(19):1453-1460

Knoop RF, Richer-Schrag HJ, Thimme R, **Fischer A**: Use of the full-thickness resection device (FTRD) to prevent bleeding after colonic polypectomy in a patient with a left ventricular assist device. Endosc Int Open. 2017 Aug;5(8):E749-E753.

Wedi E, **Fischer A**, Hochberger J, Jung C, Orkut S, Richter-Schrag: HJ: Multicenter evaluation of first-line endoscopic treatment with the OTSC in acute non-variceal upper gastrointestinal bleeding and comparison with the Rockall cohort: the FLETRock study. Surg Endosc. 2017 Jun 27.

Glatz T, Marjanovic G, Kulemann B, Hipp J, Theodor Hopt U, **Fischer A**, Richter-Schrag HJ, Hoepfner J. Management and outcome of esophageal stenting for spontaneous esophageal perforations. Dis Esophagus. 2017 Feb 1;30(3):1-6.

Richter-Schrag HJ, Glatz T, Walker C, **Fischer A**, Thimme R. First-line endoscopic treatment with over-the-scope clips significantly improves the primary failure and rebleeding rates in high-risk gastrointestinal bleeding: A single-center experience with 100 cases. *World J Gastroenterol*. 2016 Nov 7;22(41):9162-9171.

Knoop RF, Richter-Schrag HJ, Heeg S, Hoepfner J, **Fischer A**: Radiofrequency ablation is a treatment option for early stages of verrucous esophageal carcinoma. *VIDEOGIE* Volume 1, No. 4 : 2016

Fischer A, Thimme R, Hopt UT, Richter-Schrag HJ. Two-sided sponge (TSS) treatment: Description of a novel device and technique for endoscopic vacuum treatment (EVT) in the upper gastrointestinal tract. *Endosc Int Open*. 2016 Sep;4(9):E937-40.

Franke M, Geiß A, Greiner P, Wellner U, Richter-Schrag HJ, Bausch D, **Fischer A**. The role of endoscopy in pediatric gastrointestinal bleeding. *Endosc Int Open*. 2016 Sep;4(9):E1011-6.

Walker C, Huber-Schumacher S, Boettler T, Thimme R, **Fischer A**. A rare cause of upper GI bleeding in a critically ill patient. *Gut*. 2016 Sep;65(9):1438.

Knoop RF, Richter-Schrag HJ, Walker C, Thimme R, **Fischer A**. Double-scope resection of a large duodenal polyp. *Endoscopy*. 2015;47 Suppl 1:E627-8.

Fischer A, Knoop RF, Walker C, Thimme R, Richter-Schrag HJ. Resection of a large rectal polyp with the simultaneous combination of snare polypectomy and full-thickness resection device resection. *Endoscopy*. 2015;47 Suppl 1:E607-8.

Glatz T, **Fischer A**, Hoepfner J, Thimme R, Walker C, Richter-Schrag HJ. Vacuum sponge therapy using the pull-through technique via a percutaneous endoscopic gastrostomy to treat iatrogenic duodenal perforation. *Endoscopy*. 2015;47 Suppl 1:E567-8.

Richter-Schrag HJ, **Fischer A**. Over-the-scope-clip two-side closure of a coloduodenal fistula caused by a dislocated prosthesis of the pancreatic duct. *Endoscopy*. 2015;47 Suppl 1 UCTN:E301-2.

Fischer A, Richter-Schrag HJ. Over-the-scope clip (OTSC)-induced colonic obstruction necessitating sigmoid resection. *Endoscopy*. 2015;47 Suppl 1 UCTN:E157-8

Fischer A, Höppner J, Richter-Schrag HJ. First successful treatment of a circumferential intramural esophageal dissection with perforation in a patient with eosinophilic esophagitis using a partially covered self-expandable metal stent. *J Laparoendosc Adv Surg Tech A*. 2015 Feb;25(2):147-50

Richter-Schrag HJ, **Fischer A**. Buried bumper syndrome : A new classification and therapy algorithm. *Chirurg*. 2015 Feb 4. [Epub ahead of print] German.

Fischer A, Richter-Schrag HJ, Hoepfner J, Braun A, Utzolino S. Endoscopic intracavitary pull-through vacuum treatment of an insufficient pancreaticogastrostomy. *Endoscopy*. 2014;46 Suppl 1 UCTN:E218-9

Läßle C, Laubner K, Schwacha H, Seufert J, Grueneberger JM, **Fischer A**, Karcz WK, Hopt UT, Marjanovic G, Kuesters S. Minimally invasive treatment of a duodenal perforation associated with the EndoBarrier duodenal-jejunal bypass liner. *Endoscopy*. 2014;46 Suppl 1 UCTN:E171-2

Kulemann B, **Fischer A**, Hoepfner J. Esophageal stenosis caused by a rare entity. *Gastroenterology*. 2014 Mar;146(3):618-871.

Hoepfner J, Kulemann B, Seifert G, Marjanovic G, **Fischer A**, Hopt UT, Richter-Schrag HJ. Covered self-expanding stent treatment for anastomotic leakage: outcomes in esophagogastric and esophagojejunal anastomoses. *Surg Endosc*. 2014 Jan 1.

Bäuerle J, **Fischer A**, Hornig T, Egger K, Wengenmayer T, Bardutzky J. Therapeutic hypothermia in cerebral air embolism: a case report. *Springerplus*. 2013 Aug 28;2:411.

Braun A, Richter-Schrag HJ, **Fischer A**, Hoepfner J. Minimally invasive therapy of perforations at the esophagogastric junction by over-the-scope clipping. *Endoscopy*. 2013;45 Suppl 2 UCTN:E133-4

Fischer A, Bausch D, Richter-Schrag HJ. Use of a specially designed partially covered self-expandable metal stent (PSEMS) with a 40-mm diameter for the treatment of upper gastrointestinal suture or staple line leaks in 11 cases. *Surg Endosc*. 2013 Feb;27(2):642-7.

Baier P, Kiesel M, Kayser C, **Fischer A**, Hopt UT, Utzolino S. Ring drape do not protect against surgical site infections in colorectal surgery: a randomised controlled study. *Int J Colorectal Dis*. 2012 Sep;27(9):1223-8. doi: 10.1007/s00384-012-1484-9.

Bausch D, Wellner U, Kahl S, Kuesters S, Richter-Schrag HJ, Utzolino S, Hopt UT, Keck T, **Fischer A**. Minimally invasive operations for acute necrotizing pancreatitis: comparison of minimally invasive retroperitoneal necrosectomy with endoscopic transgastric necrosectomy. *Surgery*. 2012 Sep;152(3 Suppl 1):S128-34.

Fischer A, Bausch D, Baier P, Braun A, Richter-Schrag H. Risk of biodegradable stent-induced hypergranulation causing re-stenosis of a gastric conduit after esophageal resection. *Endoscopy*. 2012 Apr;44 Suppl 2 UCTN:E125-6.

Fischer A, Baier PK, Hopt UT, Richter-Schrag HJ. Laparoendoscopic mediastinal vacuum therapy of a gastric perforation through the diaphragm. *Endoscopy*. 2011 Dec;43 Suppl 2 UCTN:E393-4.

Richter-Schrag HJ, Richter S, Ruthmann O, Olschewski M, Hopt UT, **Fischer A**. Risk factors and complications following percutaneous endoscopic gastrostomy: a case series of 1041 patients. *Can J Gastroenterol*. 2011 Apr;25(4):201-6.

Baier PK, Glück NC, Baumgartner U, Adam U, **Fischer A**, Hopt UT. Subcutaneous Redon drains do not reduce the incidence of surgical site infections after laparotomy. A randomized controlled trial on 200 patients. *Int J Colorectal Dis*. 2010 May;25(5):639-43.

Ruthmann O, Richter S, **Fischer A**, Rückauer KD, Hopt UT, Schrag HJ. Biliary stenting of an iatrogenic esophageal perforation following corrosive esophagitis in a 5-year-old child. *Endoscopy*. 2009;41 Suppl 2:E325-6.

Ruthmann O, Seitz A, Richter S, Marjanovic G, Olschewski M, Hopt UT, **Fischer A**, Schrag HJ. Perkutane endoskopische Gastrostomie: Komplikationen mit und ohne Antikoagulation. *Chirurg* 2009 Jun 18. [Epub ahead of print]

Fischer A, Schrag HJ, Keck T, Hopt UT, Utzolino S. Debridement and drainage of walled-off pancreatic necrosis (WOPN) by a novel laparoendoscopic rendezvous maneuver – experience with six cases. *Gastrointest Endosc* 2008;67:871-8

Fischer A, Schrag HJ, Goos M, Obermaier R, Hopt UT, Baier PK. Transanal endoscopic tube decompression of acute colonic obstruction: Experience with 51 cases. *Surg Endosc* 2008;22:683-8

Fischer A, Baier PK, Utzolino S, Hopt UT, Schrag HJ. Management of severe chest pain caused by a Bravo pH monitoring capsule. *Endoscopy* 2008 Sep;40 Suppl 2:E55-6

Marjanovic G, Schrag HJ, Fischer E, Hopt UT, **Fischer A**. Endoscopic bougienage of benign anastomotic strictures in patients after esophageal resection: The effect of the extent of stricture on bougienage results. *Dis Esophagus*. 2008;21:551-7

Fischer A, Schrag HJ, Goos M, von Dobschuetz E, Hopt UT. Nonoperative treatment of four esophageal perforations with hemostatic clips. *Dis Esophagus* 2007;20:444-8

Tittelbach-Hellmrich E, **Fischer A**, Adam U, Hopt UT, Keck T. Akute Pankreatitis. Was gibt es neues in der chirurgischen Therapie? *Med Welt* 2007;11:1-5

Obermaier R, Hopt UT, **Fischer A**. Akzidentelle und suizidale Verätzung des oberen Gastrointestinaltraktes. *Viszeralchirurg* 2007; 42:14-21

Fischer A, Thomusch O, Benz S, von Dobschütz E, Baier P, Hopt UT. Nonoperative treatment of 15 benign esophageal perforations with self-expandable covered metal stents. *Ann Thorac Surg* 2006;81:467-72

Ruthmann O, **Fischer A**, Hopt UT, Schrag HJ. Dynamic graciloplasty vs artificial bowel sphincter in the management of severe fecal incontinence. *Chirurg* 2006; 77:926-38

Keck T, **Fischer A**, Tittelbach-Hellmrich D, Schäfer O, Adam U, Hopt UT. Akute Pankreatitis: minimalinvasiver und interventioneller Ansatz bei infizierten Pankreasnekrosen. *Endoskopie heute* 2006;3:153-157

von Dobschütz E, **Fischer A**, Rückauer KD. Die "High-risk"-Ulcerblutung - Welchen Stellenwert hat die operative Therapie? *Chir Gastroenterol* 2005;21:212-217

Fischer A, Benz S, Baier P, Hopt UT. Endoscopic management of pancreatic fistulas secondary to intraabdominal operation. *Surg Endosc* 2004;18:706-8

Lüdemann M, **Fischer A**, Schulte-Mönting J, Finke J, Imdahl A, Farthmann EH. Molecular biological observations in some rare neoplasms: DNA ploidy and cell cycle data in liposarcoma and malignant fibrous histiocytoma. *Langenbecks Arch Surg* 1999 ;384:209-15

Fischer A, Lüdemann M, Schulte-Mönting J, Finke J, Imdahl A, Farthmann EH. Therapy outcome of patients with soft-tissue sarcoma: retrospective analysis for identifying independent prognostic factors. *Zentralbl Chir* 1997;122:901-8